Appl. No. 09/699,923 Resp to Advisory Action dated April 25, 2005 RCE filed November 1, 2005

## 2. Amendments to the Claims

This listing of claims will replace all prior versions and listings of claims in the application:

Claims 1-14 (Cancelled)

Claim 15 (Currently amended) An in vitro method of preparing a dendritic cell population comprising the steps of:

- (a) contacting hematopoietic stem <u>cells</u>, or progenitor cells, or hematopoietic stem and progenitor cells with a growth factor or cytokine in vitro, wherein the growth factor or cytokine consists of flt3-ligand in an amount sufficient to generate a dendritic cell population;
- (b) exposing the dendritic cells to an antigen; and
- (c) allowing the dendritic cells to process and express the antigen.

Claim 16 (Currently amended) An in vitro method of preparing a dendritic cell population comprising the steps of:

- (a) contacting hematopoietic stem <u>cells</u>, or progenitor cells, or hematopoietic stem and progenitor cells with a growth factor or cytokine *in vitro*, wherein the growth factor or cytokine consists of flt3-ligand and GM-CSF in amounts sufficient to generate a dendritic cell population;
- (b) exposing the dendritic cells to an antigen; and
- (c) allowing the dendritic cells to process and express the antigen.

Claims 17-22 (Cancelled)

Claim 23 (Previously presented) The method according to claim 15 wherein the flt3-ligand is human flt3-ligand.

Claim 24 (Previously presented) The method according to claim 16 wherein the flt3-ligand is human flt3-ligand.

Claim 25 (Previously presented) The method according to claim 16 wherein the GM-CSF is human GM-CSF.

Claims 26-28. (Cancelled)

BEST AVAILABLE COPY

Appl. No. 09/699,923 Resp to Advisory Action dated April 25, 2005 RCE filed November 1, 2005

Claim 29 (Currently amended) An in vitro method, comprising:

- (a) collecting hematopoietic stem cells, progenitor cells, or hematopoietic stem and progenitor cells;
- (b) of preparing a dendritic cell population, the method comprising contacting the hematopoietic stem or progenitor cells with a growth factor or cytokine in vitro, wherein the growth factor or cytokine consists of flt3-ligand; and
- (c) in an amount sufficient to generate a dondritic cell population, thereby driving the cells to differentiate into generating a the dendritic cell population.

Claims 30-35 (Cancelled)

Claim 36 (Previously presented) The method according to claim 29 wherein the flt3-ligand is human flt3-ligand.

Claim 37 (Cancelled)

Claim 38 (Currently amended) The method of claims 15, 16, or 29, wherein the hematopoietic stem <u>cells</u>, exprogenitor cells, or hematopoietic stem and progenitor cells have been enriched for the CD34+ phenotype.

BEST AVAILABLE COPY